

●▶ **Lannett**

*(FDA, Approval)*

FDA approves Lanex Biologics' subsidiary Lannett and Sunshine Lake Pharma's interchangeable biosimilar, LANGLARA, to treat adult and pediatric patients with type 1 diabetes mellitus and adults with type 2 diabetes mellitus

●▶ **Bristol Myers Squibb**

*(EU, Approval)*

EC grants approval to Bristol Myers Squibb's SOTYKTU, a once-daily, oral, selective TYK2 inhibitor to treat active PsA in adults with inadequate or intolerant response to DMARD therapy

●▶ **Biocon**

*(Health Canada, Approval)*

Biocon gets Health Canada approval for its micafungin injection, USP, 50 mg and 100 mg for the treatment and as a prophylaxis of various Candida infections in patients undergoing hematopoietic stem cell transplantation

●▶ **Merck**

*(Acquisition)*

Merck acquires Terns Pharmaceuticals along with its Breakthrough Therapy Designation drug TERN-701, a potential treatment option for certain patients with chronic myeloid leukemia



●▶ **Roche**

*( Acquisition )*

Roche and PathAI enter into a merger agreement to strengthen Roche's digital pathology facilitating faster diagnostic workflows

●▶ **Hikma**

*( Partnership )*

Hikma and Marius agreed to commercialize and distribute KYZATREX CIII capsules in Canada, indicated for testosterone replacement therapy

●▶ **Neuland**

*( Collaboration )*

Neuland partners with LIR Life Sciences Corp to manufacture CPPs supporting PK, PD studies and Phase 1 formulations for LIR Life's transdermal GLP-1/GIP program targeting obesity

●▶ **Halozyme**

*( Collaboration )*

Halozyme and GSK enter into a global collaboration and license agreement to develop and commercialize multiple subcutaneous oncology targets including ADCs through Halozyme's ENHANZE drug delivery technology



●▶ **UCB**

*( Partnership )*

UCB collaborates with Cancer Research UK and its arm, Cancer Research Horizons, to progress its development pipeline of novel oncology candidates

●▶ **Johnson&Johnson**

*( Phase 3, Results )*

Johnson & Johnson's FUZION study evaluating TREMFYA in adults with active perianal fistulizing CD demonstrates higher combined fistula remission rates at Week 24 with stringent endpoints compared to placebo

●▶ **Moderna**

*( Phase 3, Results )*

Moderna's Phase 3 study evaluating mRNA-1010 achieves rVE 26.6% in the overall study population with each influenza strain containing the vaccine, confirming strong rVE estimates in subgroup analyses

●▶ **Takeda**

*( Phase 3, Results )*

Takeda's pivotal Phase 2/3 trial demonstrates comparable PK and safety profiles in TAK-881 to HYQVIA, providing immune protection in PID, and meeting its primary endpoint with no new safety signals

